

## CP887

2,800 RPM



### POWERFUL IN-LINE

#### FEATURES

- 3/8" (10 mm) in-line drill
- Built-in regulator for efficient control

#### BENEFITS

- Drills for General Maintenance with power and speed
- Great productivity
- Good for vertical drilling and to reach confined areas

## CP879

1,800 RPM



### ANGLE DRILL FOR EASY ACCESS, REVERSIBLE

#### FEATURES

- 3/8" (10 mm) angle drill
- Compact low profile head to get into confined spaces
- Reverse valve for easy directional change

#### BENEFITS

- Drills for General Maintenance with compact angle head
- Operator control from start up through rundown
- Ideal for drilling and screw driving in confined areas



CP1014P45

## CP1014P45

4,500 RPM



### HIGH SPEED, COMPACT, DURABILITY & PRECISION

#### FEATURES

- 1/4" (6 mm) industrial pistol drill with Jacobs keyed chuck
- Ergonomic & compact body
- High power 0.5 hp (375 W) with excellent control by teasing throttle
- Handle with double wings for precise drilling
- Quiet, Low vibrations
- Durable gearbox reduce maintenance cost and downtime

#### CP1014P33

Similar features as CP1014P45 with 3,300 rpm

#### CP1014P24

Similar features as CP1014P45 with 2,400 rpm

#### BENEFITS

- High productivity thanks to high power with great control and high quality keyed chuck
- Operator comfort thanks to exclusive ergonomic features
- Drills for Industrial Production designed for intensive duty and high durability



See accessories on page 114

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD		VIBRATION LEVEL ISO 29927 (m/s <sup>2</sup> )		SOUND PRESS. ISO 15744-dB(A)	SOUND POWER	AIR INLET
		rpm	hp	W	in.	mm	ft.lb	Nm	lb	kg	in.	mm	cfm	l/s	a	k				
CP879	T023999	1,800	0.3	200	3/8	10	3.3	4.5	2.3	1.0	8.3	210	21.0	10	<2.5	-	95	106	1/4	
CP887	T025376	2,800	0.5	375	3/8	10	3.9	5.3	2.3	1.0	8.0	203	27.0	13	<2.5	-	99	110	1/4	
CP1014P24	615 158 0050	2,400	0.5	375	1/4	6	3.4	4.6	1.2	0.5	6.7	160	19.0	9	3.1	2.0	78	89	1/4	
CP1014P33	615 158 0030	3,300	0.5	375	1/4	6	2.6	3.5	1.2	0.5	6.7	160	19.0	9	<2.5	-	78	89	1/4	
CP1014P45	615 158 0010	4,500	0.5	375	1/4	6	2.4	3.2	1.2	0.5	6.7	160	21.2	10	3	1.4	78	89	1/4	

All models: Hose int. 3/8" (9.5mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool or on www.cp.com